*Genitourin Med* 1989;65:405–412

# Index to volume 65, 1989

*Authors and subjects are indexed together. There are two separate indexes of subjects and authors of current publications. (When there are four or more authors only the first three are indexed.) Page numbers preceded by (MA) refer to Matters Arising.*


ABEYEWICKREME I: Cervical cytology screening in a sexually transmitted diseases clinic for the first time in Sri Lanka, **98**

ACQUIRED IMMUNE DEFICIENCY SYNDROME (AIDS). *See also* HUMAN IMMUNODEFICIENCY VIRUS; *PNEUMOCYSTIS CARINII* PNEUMONIA
- Changes in incidence of STD among heterosexual patients, **347**
- Prevention: free condoms from an STD clinic in Copenhagen, **196**
- Workload of a new district counselling unit, April 1987 to March 1988, **113**

ACYCLOVIR
- V inosine pranobex in suppression of frequently recurring genital herpes, **103**

ADLY BS. *See* BORCHARDT KA, **285**

ADOLESCENTS
- Cervical cytological examination of girls, **132**
- STD and contraception, **157**

AFRICA
- Central: seroprevalence of HIV-I is much higher in young women than men, **131**
- Central: transmission of HIV-I from men to women, **61**
- South: sexually transmitted pathogens in pregnant women in a rural community, **276**
- Southern: treating chancroid: summary of studies, **54**

AHLIN A. *See* BYGDEMAN S, **92**

AL-WALI W, HAMILTON-MILLER JMT, JOSHI S, *et al*: A case of recurrently sexually transmitted urinary tract infection, **397**

ALADESANMI AFK, MUMTAZ G, MABEY DCW: Prevalence of cervical chlamydial infection in antenatal clinic attenders in Lagos, Nigeria (*corr*), **130**

ALDERETE JF, BASEMAN JB: Serum lipoprotein binding by *Treponema pallidum*: possible role for proteoglycans, **177**

ALLERGIC REACTIONS
- To rubber condoms, **194**, (MA), **402**

AMIODARONE
- Treatment causing epididymitis, **257**

AMSTERDAM
- HIV infection and STD in drug addicted prostitutes, **146**

ANAL CANCER
- And human papillomaviruses (*Editorial*), **213**

ANAL CONDYLOMAS
- Men: histopathological and virological assessment, **216**

ANDERSON J, MINDEL A, TOVEY SJ, *et al*: Primary and secondary syphilis, 20 years' experience 3: diagnosis, treatment and follow up, **239**

ANDERSON MAC. *See* BYRNE MA, **42**

ANOGENITAL WARTS
- Clinical course in men infected with HIV, **225**

ARSLANAGIĆ N, BOKONJIĆ M, MACANOVIĆ K: Eradication of endemic syphilis in Bosnia, **4**

ARTHRITIS, REACTIVE
- Caused by *Yersinia pseudotuberculosis*, as seen in a GUM clinic: case report, **255**

ATIA W. *See* WILSON APR, **122**

BACAMPICILLIN
- Non-gonococcal urethritis in men: pilot study, **32**

BALLARD RC, DUNCAN MO, FEHLER HG, *et al*: Treating chancroid: summary of studies in southern Africa, **54**

BARRA E. *See* DE ROSA G, **252**

BASEMAN JB. *See* ALDERETE JF, **177**

BELEC L, GEORGES AJ, BROGAN T, *et al*: Transmission of HIV-I from men to women in central Africa (*corr*), **61**

BELL, Benjamin, **323**

BINDAYNA KM. *See* WOODFORD N, **86**

BISHOP PE. *See* MCMILLAN A, **225**

BLACKWELL AL. *See* THIN RN, **157**

BLOG FB. *See* BOOT JM, **50**

BODSWORTH NJ, DONOVAN B, GOLD J, *et al*: Hepatitis delta virus in homosexual men in Sydney, **235**

BOKONJIĆ M. *See* ARSLANAGIĆ N, **4**

BOLLERUP AC. *See* CHRISTOPHERSEN J, **14**

BONE: invasion in secondary syphilis, **60**

BOOK REVIEWS
- ADLER MW, ed: *Diseases in the homosexual male* (1988), **202**
- ARYA OP: *Review of tropical venereology* (1988), **203**
- GREEN J, MCCREANER A, eds: *Counselling in HIV infection and AIDS* (1989), **350**
- GREER KE: *Common problems in dermatology* (1988), **204**
- HODGKINSON L: *Unholy matrimony* (1988), **202**
- HUDSON CN, SHARP F, eds: *AIDS and obstetrics and gynaecology*, (nd), **350**
- LEVY JA, ed: *AIDS pathogenesis and treatment* (1989), **203**
- MASKELL R, BALSDON MJ: *Urinary tract infection in clinical and laboratory practice* (1988), **63**
- RIDLEY CM, ed: *The vulva* (1988), **350**
- SOBER J, FITZPATRICK TB, eds: *Year book of dermatology* 1988 (1988), **203**
- WILLIS T, PHILLIPS KD: *Anaerobic infections: clinical and laboratory practice* (1988), **133**

BOOT JM, BLOG FB, STOLZ E: Intralesional interferon alfa-2b treatment of condylomata acuminata previously resistant to podophyllum resin application, **50**

——, ORANJE AP, MENKE HE, *et al*: Congenital syphilis in The Netherlands: diagnosis and clinical features, **300**

BOR R, ELFORD J, MILLER R, *et al*: Workload of a new district AIDS counselling unit, April 1987 to March 1988, **113**

BORCHARDT KA, ADLY BS, SMITH RF, *et al*: Importance of *Gardnerella vaginalis* as an aetiological agent in bacterial vaginosis (*corr*), **285**

BOSNIA
- Eradication of endemic syphilis, **4**

BOULTON M. *See* FITZPATRICK R, **259**

BOWMAN C, DE SILVA PA, MONTEIRO E: Labial adhesions after genital herpes infection (MA), **401**

BRANDRUP F. *See* IBSEN HHW, **257**

BRITAIN: sexually transmitted disease 1985–6, **117**

BROGAN T. *See* BELEC L, **61**

BRONKHURST A. *See* CARNE CA, **151**

BROWN V. *See* HICKS D, **348**

BROWN-SÉQUARD SYNDROME

Meningovascular syphilis of the spinal cord: case report, **189**

BRUCKNER FE. *See* DAVIDSON F, **60**

BYGDEMAN S, TEICHERT C, AHLIN A, *et al*: Influence of storing urogenital specimens at −20°C before testing by enzyme amplified immunoassay (IDEIA) to detect *Chlamydia trachomatis* antigen, **92**

BYRNE MA, TAYLOR-ROBINSON D, ANDERSON MAC, *et al*: Value of colposcopy in sexually transmitted diseases clinic based on first year's experience, **42**

——, WALKER MM, LEONARD J, *et al*: Recognising covert disease in women with chronic vulval symptoms attending an STD clinic: value of detailed examination including colposcopy, **46**

CANDIDIASIS
Vaginal: econazole nitrate compared with clotrimazole, **201**

CAPRILLI F. *See* PEZZELLA M, **293**

CARNE CA, STIBE C, BRONKHURST A, *et al*: Subclinical neurological and neuropsychological effect of infection with HIV, **151**

CARNEY O. *See* MINDEL A, **103**

CASIN I. *See* LASSAU F, **60**

CEFTRIAXONE
Single dose, in genitourinary and pharyngeal gonorrhoea, **14**

CERVICAL CYTOLOGY
Diagnosis of genital herpes, **284**
Evaluation of abnormal results in a genitourinary clinic, **348**
Examination of adolescent girls, **132**
Screening in an STD clinic for the first time in Sri Lanka, **98**
Spatulas: Ayre v Aylesbury, **161**, (MA) **402**
Taking smears in departments of genitourinary medicine, **96**

CERVICAL INTRAEPITHELIAL NEOPLASIA
Risk factors in women with vulval warts, **197**

CERVICITIS
Chlamydial: colposcopy, biopsy, and cytology results, **22**
Gonococcal: effect of penicillin and spectinomycin and prevalence of penicillin resistance, **342**

CERVIX UTERI
Prevalence of chlamydial infection in antenatal clinic attenders in Lagos, Nigeria, **130**

CHANDER R. *See* SHARMA VK, **124**

CHANCROID
Pedal, imported: case report, **126**
Treating: summary of studies in southern Africa, **54**, (MA), **348**

CHINN RJS. *See* HAY PE, **285**

CHITHRA A. *See* JEYAKUMAR W, **192**

*CHLAMYDIA TRACHOMATIS*
Antigen detection: influence of storing urogenital specimens at −20°C before testing by enzyme amplified immunoassay, **92**
Declining incidence in women attending a provincial GUM clinic, **400**
Detection by direct immunofluorescence using a Cytobrush sampling technique, **130**
Detection in men with urethritis, **166**
Detection: new enzyme immunoassay (Pharmacia) compared with MicroTrak (Syva), **199**
Direct detection with rRNA:cDNA hybridisation, **319**
Falling incidence of infection among female patients attending the Department of Genito-Urinary Medicine, Bournemouth, **400**

CHLAMYDIAL INFECTION
Cervical: prevalence in antenatal clinic attenders in Lagos, Nigeria, **130**
Cervicitis: colposcopy, biopsy, and cytology results, **22**
Genitourinary: roxithromycin compared with erythromycin, **35**
In female rectums, **269**
Which antibiotic for patients with acute intermittent porphyria?, **199**

CHRISTOPHERSEN J, BOLLERUP AC, FROM E, *et al*: Treating genitourinary and pharyngeal gonorrhoea with single dose ceftriaxone, **14**

CIPROFLOXACIN
Single dose, to treat women with gonorrhoea, **129**

CLOTRIMAZOLE
Compared with econazole nitrate in vaginal candidiasis, **201**

COFFETTI N. *See* CRISTIANO L, **382**

COKER D. *See* O'MAHONY C, **61**

COLPOSCOPY
Recognising covert disease in women with chronic vulval symptoms attending an STD clinic, **46**
Value in STD clinic based on first year's experience, **42**

CONDOMS
Allergic reactions, **194**, (MA) **402**
Free, from an STD clinic in Copenhagen, **196**
Use by heterosexuals attending a GUM department, **248**

CONDYLOMATA ACUMINATA
Anal, in men: Histopathological and virological assessment, **216**
Anogenital, in men infected with HIV: clinical course, **225**
Intrameatal penile: detection of HPV DNA in semen, **357**
Need for screening, **399**
Podophyllum resistant: intralesional alfa-2b treatment, **50**
Self application of podophyllin in men, **61**
Vulval: risk factors in development of cervical intraepithelial neoplasia, **197**

CONDYLOMATA LATA
Of the eyelids: case report, **124**

CONNOLLY J. *See* MAW RD, **130**

CONTRACEPTION
And STD in adolescents, **157**

CONVENTI L, ERRICO G, MASTROPRIMIANO S, *et al*: Characterisation of *Escherichia coli* adhesins in patients with symptomatic urinary tract infections, **183**

COPENHAGEN
AIDS prevention: free condoms from an STD clinic, **196**

COTTON DWK. *See* ROBERTS KM, **200**

CRAWSHAW S. *See* HARAN MV, **349**

CRISTIANO L, COFFETTI N, DALVAI G, *et al*: Bacterial vaginosis: prevalence in outpatients, association with some microorganisms and laboratory indices, **382**

DALVAI G. *See* CRISTIANO L, **382**

DALY JJ, SHERMAN JK, GREEN L, *et al*: Survival of *Trichomonas vaginalis* in human semen, **106**

DAROUGAR S. *See* DUNLOP EMC, **22**

DAVIDSON F, BRUCKNER FE: Bone invasion in secondary syphilis (*corr*), **60**
de la LOMA A. *See* MOYA MD, **347**
DE MUYLDER X: Standardised management of PID in a developing country, **281**
DE ROSA G, BARRA E, GENTILE R, *et al*: Verruciform xanthoma of the vulva: case report, **252**
DE SILVA AH. *See* BOWMAN C, **401**; SIVAKUMAR K, **399**
DNA: non-radioactive probe to identify *N gonorrhoeae*, **60**
DONOVAN B. *See* BODSWORTH NJ, **235**
DUNCAN MO. *See* BALLARD RC, **54**
DUNLOP EMC, GARNER A, DAROUGAR S, *et al*: Colposcopy, biopsy, and cytology results in women with chlamydial cervicitis, **22**
EASMON CSF. *See* KARIM QN, **361**; WOODFORD N, **86**
ECONAZOLE NITRATE
  Compared with clotrimazole in vaginal candidiasis, **201**
EDINBURGH
  Genitourinary medicine, **286**
ELFORD J. *See* BOR R, **113**
ELLIS ME. *See* JOYCE PW, **244**
ENGELKENS HJH, ORANJE AP, STOLZ E: Early yaws, imported in The Netherlands, **316**
ENTEROBIASIS
  Recurrent genitourinary: topical anthelmintic treatment, **284**
ENZYME AMPLIFIED IMMUNOASSAY
  To detect *C trachomatis* antigen: influence of storing specimens at −20°C before testing, **92**
ENZYME IMMUNOASSAY
  Pharmacia compared with MicroTrak (Syva) to detect *C trachomatis* in genital tract specimens, **199**
  Screening for treponemal infection, **72**
ENZYME LINKED IMMUNOSORBENT ASSAY
  IgM capture, to detect IgM antibodies to treponemes in patients with syphilis, **79**
  Monoclonal antibody inhibition, to detect syphilis, **308**
EPIDIDYMITIS: caused by amiodarone, **257**
ERKKOLA R. *See* MOI H, **263**
ERRICO G. *See* CONVENTI L, **183**
ERYTHROMYCIN
  Compared with roxithromycin against genitourinary chlamydial infections, **35**
*ESCHERICHIA COLI*
  Adhesins in patients with symptomatic urinary tract infections, **183**
EYELIDS
  Condylomata lata: case report, **124**
  Primary syphilis: case report, **192**

FEHLER HG. *See* BALLARD RC, **54**
FINN GY. *See* KARIM QN, **361**
FISK P: Severity of urethritis in Reiter's disease (*corr*), **198**
FITZPATRICK R, HART, BOULTON M, *et al*: Heterosexual sexual behaviour in a sample of homosexually active men, **259**
FORSTER GE. *See* MIDDLETON GW, **348**
FORSTER SM. *See* SMITH JR, **199**
FORSYTH A. *See* RADEMAKER M, **194**
FRANDSEN F. *See* IBSEN HHW, **257**
FROM E. *See* CHRISTOPHERSEN J, **14**
FUNG HW, NG WWS: Decreased in vitro susceptibility of penicillinase producing *Neisseria gonorrhoeae* to spectinomycin in Hong Kong (*corr*), **129**

GABON
  Transmission of syphilis between sexual partners, **84**
GARDINER PV. *See* MAW RD, **130**
*GARDNERELLA VAGINALIS*
  Aetiological agent in bacterial vaginosis, **285**
  And succinate producing vaginal anaerobes: chemotaxis inhibition, **109**
GARNER A. *See* DUNLOP EMC, **22**
GELMON K, WELLER IVD: Randomised placebo controlled trials in HIV infection: to be or not to be?, **143**
GENITAL HERPES. *See* HERPES GENITALIS
GENITAL TRACT INFECTION
  Recurrent: a result of induced immunosuppression?, **372**
GENITAL WARTS. *See* CONDYLOMATA ACUMINATA
GENITOURINARY MEDICINE. *See also* STD CLINICS
  Clinic in provinces: declining incidence of *C trachomatis* in women, **400**
  Clinics: evaluation of abnormal cervical cytology results, **348**
  Clinics in England: workloads, **376**
  Department, Bournemouth: falling prevalence of *C trachomatis* infection among female patients, **400**
  Departments: condom use by heterosexuals, **248**
  Departments: taking cervical smears, **96**
  In Edinburgh, **286**
GENTILE R. *See* DE ROSA G, **252**
GEORGES AJ. *See* BELEC L, **61**
GEORGES-COURBOT MC, MERLIN M, JOSSE R, *et al*: Seroprevalence of HIV-I is much higher in young women than men in central Africa (*corr*), **131**
GIBSON P. *See* GREEN J, **357**
GLANCY GR. *See* TERRY PM, **189**
GOLD J. *See* BODSWORTH NJ, **235**
GONORRHOEA
  Genitourinary and pharyngeal: single dose ceftriaxone, **14**
  Hong Kong: low dose oral ofloxacin, **198**
  Single dose ciprofloxacin to treat women, **129**
GONZÁLEZ L. *See* KOURI YH, **342**
GOORNEY BP, LACEY CJN, SUTTON J: Ayre v Aylesbury cervical spatulas, **161**
GRAHAM A. *See* TERRY PM, **189**
GREECE
  Serological classification of PPNG and non-PPNG strains, **171**
GREEN J, MONTEIRO E, GIBSON P: Detection of human papillomavirus DNA in semen from patients with intrameatal penile warts, **357**
GREEN L. *See* DALY JJ, **106**
GRIFFITHS M: Genital warts and the need for screening (*corr*), **399**
——, SANDERSON D, PENNA L: Taking cervical smears in departments of genitourinary medicine, **96**
GRINDSTED J. *See* KARLSMARK T, **196**
GUPTA R. *See* KUMAR B, **394**

*HAEMOPHILUS DUCREYI*
  Rapid detection in clinical and experimental infections using monoclonal antibody: a preliminary evaluation, **361**
HAGAY ZJ, SAROV B, SHAKED O, *et al*: Detecting *Chlamydia trachomatis* in men with urethritis: serology v isolation in cell culture, **166**

HAMILTON-MILLER JMT. *See* AL-WALI W, **397**
HAMMOND D, MAW RD, MULHOLLAND M: Personality types of women attending an STD clinic: correlation with keeping first review appointments, **163**
HANDFIELD-JONES SE, PRENDIVILLE WJ, NORMAN S: Vulval lymphangiectasia, **335**
HARAN MV, CRAWSHAW S, NATIN D: Labial adhesions after genital herpes infection (*corr*), **349**
HART GJ. *See* FITZPATRICK R, **259**; NAHER H, **319**
HARTMANN M. *See* NÄHER H, **319**
HAWKSWELL J. *See* MOSS TR, **197**
HAY PE, MURPHY SM, CHINN RJS: Acute urethritis due to *Neisseria meningitidis* group A acquired by oro-genital contact: case report (*corr*), **285**
HAYE KR. *See* JOYCE PW, **244**; MAITI H, **201**
HEAP BJ: Low dose oral ofloxacin to treat gonorrhoea in Hong Kong (*corr*), **198**
HEPATITIS DELTA VIRUS
In homosexual men in Sydney, **235**
HERPES GENITALIS
Diagnosed by cervical cytology, **284**
Frequently recurring: acyclovir *v* inosine pranobex, **103**
Labial adhesions after: case reports, **187**, **349**, (MA), **401**
HERPES SIMPLEX VIRUS
Sequential genital infections with types 1 and 2, **39**
HICKS D, BROWN V, SPENCER RC: Evaluation of abnormal cervical cytology results in a genitourinary clinic (*corr*), **348**
HOFF G. *See* WORM A-M, **35**
HØJBJERG T. *See* MARCKMANN P, **126**
HOMOSEXUAL MEN
Hepatitis delta virus in Sydney, **235**
Heterosexual sexual behaviour in a sample, **259**
Syphilitic retinitis with concurrent HIV infection: case report, **244**
HONG KONG
Decreased in vitro susceptibility of penicillinase producing *N gonorrhoeae* to spectinomycin, **129**
Low dose oral ofloxacin to treat gonorrhoea, **198**
HOOSEN AA. *See* O'FARRELL N, **276**
HUMAN IMMUNODEFICIENCY VIRUS (HIV). *See also* ACQUIRED IMMUNE DEFICIENCY SYNDROME; HIV INFECTION
And STD in drug addicted prostitutes in Amsterdam, **146**
Clinical course of anogenital warts in infected men, **225**
Detection of genome in HIV antibody negative men, **293**
Type I: evidence of low prevalence of antibody in N. Ireland, **130**
Type I: seroprevalence is much higher in young women than men in central Africa, **131**
Type I: transmission from men to women in central Africa, **61**
HUMAN IMMUNODEFICIENCY VIRUS INFECTION
Attitudes and behaviour: condom use by heterosexuals attending a GUM department, **248**
Concurrent syphilitic retinitis in a homosexual man: case report, **244**
Randomised placebo controlled trials, **143**
Subclinical neurological and neuropsychological effect, **151**
HUMAN PAPILLOMAVIRUS
Anal cancer (*Editorial*), **213**
Detection of DNA in semen from patients with intrameatal penile warts, **357**
HYDE BM. *See* PINDAK FF, **366**
IBSEN HHW, FRANDSEN F, BRANDRUP F, *et al*: Epididymitis caused by treatment with amiodarone, **257**
IgG ANTIBODIES
Screening for treponemal infection by a new enzyme immunoassay, **72**
IgM ANTIBODIES
To treponemes in patients with syphilis detected by an IgM capture ELISA, **79**
INOSINE PRANOBEX
V acyclovir in suppression of frequently recurring genital herpes, **103**
INTERFERON ALFA-2b
Intralesional treatment of podophyllum resistant condylomata acuminata, **50**
IJSSELMUIDEN OE, TOP J, STOLZ E, *et al*: Development and evaluation of a monoclonal antibody inhibition enzyme linked immunosorbent assay to diagnose syphilis, **308**
——, van der SLUIS JJ, MULDER A, *et al*: An IgM capture enzyme linked immunosorbent assay to detect IgM antibodies to treponemes in patients with syphilis, **79**
JANIER M. *See* LASSAU F, **60**
JERVE F. *See* MOI H, **263**
JEYAKUMAR W, CHITHRA A, SHANMUGASUNDARARAJ A: Primary syphilis of the eyelid: case report, **192**
JOSHI S. *See* AL-WALI W, **397**
JOSSE R. *See* GEORGES-COURBOT MC, **131**; SCHRIJVERS D, **84**
JOYCE PW, HAYE KR, ELLIS ME: Syphilitic retinitis in a homosexual man with concurrent HIV infection: case report, **244**
KARIM QN, FINN GY, EASMON CSF, *et al*: Rapid detection of *Haemophilus ducreyi* in clinical and experimental infections using monoclonal antibody: a preliminary evaluation, **361**
KARLSMARK T, SEGEST E, GRINDSTED J, *et al*: AIDS prevention: free condoms from an STD clinic in Copenhagen (*corr*), **196**
KEARNS AM. *See* PATTMAN RS, **274**, **349**; SPROTT MS, **60**
KHARSANY ABM. *See* O'FARRELL N, **276**
KINGHORN GR. *See* SAMARAI AM AL, **39**
KOURI YH, GONZÁLEZ L, PÉREZ M, *et al*: Effect of penicillin and spectinomycin given for urethritis and cervicitis with *Neisseria gonorrhoeae*: high prevalence of penicillin-resistant isolates, **342**
KROON S. *See* WORM A-M, **35**
KUMAR B, GUPTA R, SHARMA SC, *et al*: Bilateral sabre-like tibial deformity in secondary syphilis: case report, **394**
KUMAR B. *See also* SHARMA VK, **124**
LABIAL ADHESIONS
After genital herpes infection, **187**, **349**, (MA), **401**
LACEY CJN: Labial adhesions after genital herpes infection (MA), **401**
LACEY CJN. *See also* GOORNEY BP, **161**
LASSAU F, JANIER M, CASIN I, *et al*: Rising incidence of penicillinase producing *Neisseria gonorrhoeae* in Paris, France, in 1985–7 (*corr*), **60**
LEE CT, LIM KB, THIRUMOORTHY T, *et al*: Bacampicillin to treat non-gonococcal urethritis in men: pilot study, **32**
LEEMING JG. *See* WALZMAN M, **331**
LEONARD J. *See* BYRNE MA, **46**

LESBIANS
*Trichomonas vaginalis* infection, **399**
LIM KB. *See* LEE CT, **32**
LINDLEY RI, PATTMAN RS, SNOW MH: *Yersinia pseudotuberculosis* infection as a cause of reactive arthritis as seen in a genitourinary clinic: case report, **255**
LYMPHANGIECTASIA
Vulval: case reports, **335**

MABEY DCW. *See* ALADESANMI AFK, **130**
MACANOVIĆ K. *See* ARSLANAGIĆ N, **4**
MACAULAY AJ. *See* THOMPSON CI, **269**
MCMILLAN A, BISHOP PE: Clinical course of anogenital warts in men infected with human immunodeficiency virus, **225**
——. *See also* YOUNG H, **72**
MAITI H, HAYE KR: Mystery of the holey prepuce: delayed podophyllin skin damage? (*corr*), **201**
MALAN AF. *See* MEYER MP, **304**
MARCKMANN P, HØJBJERG T, VON EYBEN FE, *et al*: Imported pedal chancroid: case report, **126**
MASTROPRIMIANO S. *See* CONVENTI L, **183**
MAVROMMATI L. *See* TZANAKAKI G, **171**
MAW RD, GARDINER PV, CONNOLLY J, *et al*: Evidence of low prevalence of antibody to HIV-I in Northern Ireland (*corr*), **130**
——. *See also* HAMMOND D, **163**; WYATT DE, **199**
MEBENDAZOLE
Failure to cure Trichomonal vaginitis resistant to metronidazole: case report, **274**
MEDICAL SOCIETY FOR THE STUDY OF VENEREAL DISEASES (MSSVD)
Secretary's report to 67th Annual General Meeting, 1988, **128**
MENÉNDEZ F. *See* MOYA MD, **347**
MENKE HE. *See* BOOT JM, **300**
MERLIN M. *See* GEORGES-COURBOT MC, **131**
MEYER MP, MALAN AF: Rheumatoid factor in congenital syphilis, **304**
MIDDLETON GW, FORSTER GE: Treating chancroid: summary of studies in South Africa (*corr*), **348**
MILLER R. *See* BOR R, **113**
MINDEL A: Letter to the readers of *Genitourinary Medicine*, **71**
——, CARNEY O, SONNEX C, *et al*: Suppression of frequently recurring genital herpes: acyclovir *v* insosine pranobex, **103**
——, TOVEY SJ, TIMMINS DJ, *et al*: Primary and secondary syphilis, 20 years' experience. 2. Clinical features, **1**
——. *See also* ANDERSON J, **239**; RADCLIFFE KW, **284**
MOI H, ERKKOLA R, JERVE F, *et al*: Should male consorts of women with bacterial vaginosis be treated?, **263**
MONTEIRO E. *See* BOWMAN C, **401**; GREEN J, **357**
MORA DE PINDAK M. *See* PINDAK FF, **366**
MOSS TR, HAWKSELL J, SHARMACHARJA G: Risk factors in the development of cervical intraepithelial neoplasia in women with vulval warts (*corr*), **197**
MOYA MD, de la LOMA A, MENÉNDEZ F, *et al*: Changes in incidence of STD among heterosexual patients: fear of AIDS? (*corr*), **347**
MOYES A. *See* YOUNG H, **8**, **72**
MULDER A. *See* IJSSELMUIDEN OE, **79**
MULHOLLAND M. *See* HAMMOND D, **163**
MUMTAZ G. *See* ALADESANMI AFK, **130**
MURPHY SM. *See* HAY PE, **285**
MYELOPATHY
Syphilitic, **338**

NÄHER H, NIEBAUER B, HARTMANN M, *et al*: Evaluation of a radioactive rRNA:cDNA-hybridisation assay for the direct detection of *Chlamydia trachomatis* in urogenital specimens, **319**
NATIN D. *See* HARAN MV, **349**
NEALE MW. *See* SPROTT MS, **60**
NEISSER, Albert, **229**
*NEISSERIA GONORRHOEAE See also* GONORRHOEA
Association between serotype and susceptibility to antibiotics, **86**
Identification: monoclonal antibody coagglutination, **8**
Non-radioactive DNA probe to identify, **60**
Penicillinase producing, decreased in vitro susceptibility to spectinomycin in Hong Kong, **129**
Penicillinase producing: rising incidence in Paris, France, in 1985–7, **60**
Serological classification of PPNG and non-PPNG strains isolated in Greece, **171**
Urethritis and cervicitis: penicillin and spectinomycin and prevalence of penicillin resistance, **342**
*NEISSERIA MENINGITIDIS*, GROUP A
Acute urethritis acquired by orogenital contact: case report, **122**, **285**, (MA), **401**
NETHERLANDS
Diagnosis and clinical features of congenital syphilis, **300**
Imported early yaws, **316**
NG WWS. *See* FUNG HW, **129**
NIEBAUER B. *See* NÄHER H, **319**
NIGERIA
Prevalence of cervical chlamydial infection in antenatal clinic attenders in Lagos, **130**
NON-GONOCOCCAL URETHRITIS
Characteristics of inflammatory cells in urethral smears from men, **18**
In men: pilot study of bacampicillin, **32**
NORMAN S. *See* HANDFIELD-JONES SE, **335**
NORTHERN IRELAND
Evidence of low prevalence of antibody to HIV-I, **130**

OBITUARY
Siboulet, Andre, **133**
O'FARRELL N, HOOSEN AA, KHARSANY ABM, *et al*: Sexually transmitted pathogens in pregnant women in a rural South African community, **276**
OFLOXACIN
Low dose oral, to treat gonorrhoea in Hong-Kong, **198**
O'MAHONY C, COKER D: Is self application of podophyllin an acceptable treatment of genital warts in men? (*corr*), **61**
——, WILLIAMS C, TIMMINS D, *et al*: Relevance of computed tomography to diagnose *Pneumocystis carinii* pneumonia (*corr*), **196**
ORANJE AP. *See* BOOT JM, **300**; ENGELKENS HJH, **316**
ORIEL JD: Eminent venereologists. 1. Albert Neisser, **229**, 2. Benjamin Bell, **323**, 3. Philippe Ricord, **388**
ORIEL JD: Human papillomaviruses and anal cancer (*Editorial*), **213**
OSOBA AO: VIth African Regional Conference on sexually transmitted diseases, **328**

PARIS
Rising incidence of penicillinase producing *N gonorrhoeae* in 1985–7, **60**
PATTMAN RS, SPROTT MS, KEARNS AM, *et al*: Failure of

mebendazole to cure trichomonal vaginitis resistant to metronidazole: case reports, **274**

——, ——, ——, *et al*: Trichomonal vaginitis refractory to conventional treatment (MA), **349**

PATTMAN RS. *See* LINDLEY RI, **255**; SHANMUGARATNAM K, **129, 400**

PELVIC INFLAMMATORY DISEASE

Standardised management in a developing country, **281**

PENICILLIN

Compared with spectinomycin in gonococcal cervicitis and urethritis and prevalence of resistance, **342**

PENIS

Detection of HPV DNA in semen from patients with intrameatal warts, **357**

Holey prepuce: delayed podophyllin skin damage?, **201**

Tuberculous cavernositis: case report, **58**

PENNA L. *See* GRIFFITHS M, **96**

PÉREZ M. *See* KOURI YH, **342**

PEZZELLA M, CAPRILLI F, VONESCH N, *et al*: Detection of HIV genome in HIV antibody negative man, **293**

PINDAK FF, MORA DE PINDAK M, HYDE BM, *et al*: Acquisition and retention of *Trichomonas vaginalis*, **366**

*PNEUMOCYSTIS CARINII* PNEUMONIA

Relevance of computed tomography in diagnosis, **196**

PODOPHYLLIN

Delayed skin damage: holey prepuce, **201**

Self application of genital warts in men, **61**

PODOPHYLLUM

Resistant condylomata acuminata: intralesional interferon alfa-2b treatment, **50**

PORPHYRIA

Acute intermittent: which antibiotic for chlamydial infection?, **199**

PREGNANCY

Sexually transmitted pathogens in women in a rural South African community, **276**

PRENDIVILLE WJ. *See* HANDFIELD-JONES SE, **335**

PROSTITUTES

Drug addicted, in Amsterdam: HIV infection and STD, **146**

PUBLIC HEALTH LABORATORY SERVICE COMMUNICABLE DISEASE SURVEILLANCE CENTRE: Sexually transmitted disease in Britain: 1985–6, **117**

RADCLIFFE KW, MINDEL A: Genital herpes diagnosed by cervical cytology (*corr*), **284**

RADEMAKER M, FORSYTH A: Allergic reactions to rubber condoms, **194**

RAMESH V, VASANTHI R: Tuberculous cavernositis of the penis: case report, **58**

RECTUM

Female: *C trachomatis* infections, **269**

REITER'S DISEASE

Severity of urethritis, **198**

RENUNALA T. *See* TURJANMAA K, **402**

RETINITIS

Syphilitic, in a homosexual man with concurrent HIV infection: case report, **244**

RHEUMATOID FACTOR

In congenital syphilis, **304**

RICORD, Philippe, **388**

ROBERTS KM, COTTON DWK, SHORTLAND JR: Electron microscopy to differentiate intestinal spirochaetosis from other conditions (*corr*), **200**

ROBERTSON DHH. *See* THOMPSON CI, **286**

ROBINSON AJ, WILSON JD, SPENCER RS, *et al*: Econazole nitrate (150 mg) single dose vaginal pessary compared with clotrimazole (10%) single dose vaginal cream to treat women with vaginal candidiasis (*corr*), **201**

ROXITHROMYCIN

Compared with erythromycin against genitourinary chlamydial infections, **35**

ROY RB. *See* SIVAKUMAR K, **399, 400**

SACHS J. *See* HAGAY ZJ, **166**

SAMANTARAY JC. *See* SINGH S, **284**

SAMARAI AM AL, SHAREEF AA, KINGHORN GR, *et al*: Sequential genital infections with herpes simplex virus types 1 and 2, **39**

SANDERSON D. *See* GRIFFITHS M, **96**

SANKAR K. *See* SHANMUGARATNAM K, **402**

SAROV B. *See* HAGAY ZJ, **166**

SCHEERINGA-TROOST B. *See* van den HOEK JAR, **146**

SCHRIJVERS D, JOSSE R, TREBUCQ A, *et al*: Transmission of syphilis between sexual partners in Gabon, **84**

SEGEST E. *See* KARLSMARK T, **196**

SELIGMAN SA: Trichomonal vaginitis refractory to conventional treatment (*corr*), **200**

SEMEN, HUMAN

Survival of *T vaginalis*, **106**

SEXUAL BEHAVIOUR

Heterosexual, in a sample of homosexually active men, **259**

SEXUALLY TRANSMITTED DISEASES (STD)

And HIV infection in drug addicted prostitutes in Amsterdam, **146**

Changes in incidence among heterosexual patients: fear of AIDS?, **347**

Contraception in adolescents, **157**

In Britain, 1985–6, **117**

VIth African Regional Conference, **328**

STD CLINICS *See also under* GENITOURINARY MEDICINE

Cervical cytology screening for the first time in Sri Lanka, **98**

Copenhagen: free condoms, **196**

Personality types of attending women: correlation with keeping first review appointments, **163**

Recognising covert disease in women with chronic vulval symptoms, **46**

Value of colposcopy based on first year's experience, **42**

SHAHMANESH M: Characteristics of inflammatory cells in urethral smears from men with non-gonococcal urethritis, **18**

SHANMUGARATNAM K: Acute urethritis due to *Neisseria meningitidis* (MA), **401**

——, PATTMAN RS: Declining incidence of *Chlamydia trachomatis* in women attending a provincial genitourinary medicine clinic (*corr*), **400**

——, SANKAR K, WADEHRA V: Ayre *v* Aylesbury cervical spatulas (MA), **402**

——, SPROTT MS, PATTMAN RS, *et al*: Single dose ciprofloxacin to treat women with gonorrhoea (*corr*), **129**

SHANMUGASUNDARARAJ A. *See* JEYAKUMAR W, **192**

SHAREEF AA. *See* SAMARAI AM AL, **39**

SHARMA SC. *See* KUMAR B, **394**

SHARMA VK, CHANDER R, KUMAR B, *et al*: Condylomata lata of

the eyelids, **124**
SHARMACHARJA G. *See* MOSS TR, **197**
SHERMAN JK. *See* DALY JJ, **106**
SHORTLAND JR. *See* ROBERTS KM, **200**
SILBER MH: Syphilitic myelopathy, **338**
SINGH S, SAMANTARAY JC: Topical anthelmintic treatment of recurrent genitourinary enterobiasis (*corr*), **284**
SIVAKUMAR K, DE SILVA AH, ROY RB: *Trichomonas vaginalis* infection in a lesbian, **399**
—, ROY RB: Falling prevalence of *Chlamydia trachomatis* infection among female patients attending the Department of Genito-Urinary Medicine, Bournemouth (*corr*), **400**
SMITH IW. *See* THOMPSON CI, **269**
SMITH JR., FORSTER SM: Chlamydial infection: which antibiotic for patients with acute intermittent porphyria? (*corr*), **199**
SMITH RF. *See* BORCHARDT KA, **285**
SNOW MH. *See* LINDLEY RI, **255**
SONNEX C: Recurrent genital tract infection: a result of induced immunosupression?, **372**
SONNEX C, HART GJ, WILLIAMS P, *et al*: Condom use by heterosexuals attending a department of GUM: attitudes and behaviour in the light of HIV infection, **248**
SONNEX C. *See also* MINDEL A, **103**
SPECTINOMYCIN
Compared with penicillin in gonococcal cervicitis and urethritis, **342**
Decreased in vitro susceptibility of penicillinase producing *N gonorrhoeae* in Hong Kong, **129**
SPENCER RC. *See* HICKS D, **348**
SPENCER RS. *See* ROBINSON AJ, **201**
SPINAL CORD
Meningovascular syphilis presenting with incomplete Brown-Séquard syndrome: case report, **189**
SPIROCHAETOSIS, INTESTINAL
Electron microscopy to differentiate from other conditions, **200**
SPROTT MS, KEARNS AM, NEALE MW: Non-radioactive DNA probe to identify *Neisseria gonorrhoeae* (*corr*), **60**
SPROTT MS. *See* PATTMAN RS, **274**, **349**; SHANMUGARATNAM K, **129**
SRI LANKA
Cervical cytology screening in an STD clinic for the first time, **98**
STIBE C. *See* CARNE CA, **151**
STOLZ E. *See* BOOT JM, **50**; ENGELKENS HJH, **316**; IJSSELMUIDEN OE, **308**
STURM AW: Chemotaxis inhibition by *Garderella vaginalis* and succinate producing vaginal anaerobes: composition of vaginal discharge associated with *G vaginalis*, **109**
SUTTON J. *See* GOORNEY BP, **161**
SYDNEY
Hepatitis delta virus in homosexual men, **235**
SYPHILIS
An IgM capture ELISA to detect IgM antibodies to treponemes, **79**
Congenital, in the Netherlands: diagnosis and clinical features, **300**
Congenital, rheumatoid factor, **304**
Diagnosis: monoclonal antibody inhibition ELISA, **308**
Endemic: eradication in Bosnia, **4**
Meningovascular, of the spinal cord presenting with incomplete Brown-Séquard syndrome: case report, **189**
Myelopathy, **338**
Primary and secondary, 20 years' experience. 2: Clinical features, **1**, 3: Diagnosis, treatment and follow up, **239**
Primary, of the eyelid: case report, **192**
Retinitis in a homosexual man with concurrent HIV infection: case report, **244**
Screening for treponemal infection by a new enzyme immunoassay, **72**
Secondary: bilateral sabre-like tibial deformity: case report, **394**
Secondary: bone invasion, **60**
Transmission between sexual partners in Gabon, **84**
SYRJÄNEN KJ. *See* SYRJÄNEN SM, **216**
SYRJÄNEN SM, VON KROGH G, SYRJÄNEN KJ: Anal condylomas in men. 1. Histological and virological assessment, **216**

TAYLOR-ROBINSON D: Detecting *Chlamydia trachomatis* by direct immunofluorescence using a Cytobrush sampling technique (*corr*), **130**
——. *See also* BYRNE MA, **42**
TEICHERT C. *See* BYGDEMAN S, **92**
TERRY PM, GLANCY GR, GRAHAM A: Meningovascular syphilis of the spinal cord presenting with incomplete Brown-Séquard syndrome: case report, **189**
THIN RN: Workloads in genitourinary medicine clinics in England, **376**
——, WHATLEY JD, BLACKWELL AL: STD and contraception in adolescents, **157**
THIRUMOORTHY T. *See* LEE CT, **32**
THOMPSON CI, MACAULAY AJ, SMITH IW: *Chlamydia trachomatis* infections in the female rectums, **269**
——, ROBERTSON DHH: Genitourinary medicine in Edinburgh (*corr*), **286**
TIMMINS DJ. *See* MINDEL A, **1**; O'MAHONY C, **196**
TOP J. *See* IJSSELMUIDEN OE, **308**
TOVEY SJ. *See* ANDERSON J, **239**
——. *See also* MINDEL A, **1**
TREBUCQ A. *See* SCHRIJVERS D, **84**
*TREPONEMA PALLIDUM*
Serum lipoprotein binding: possible role for proteoglycans, **177**
*TRICHOMONAS VAGINALIS*
Acquisition and retention of viruses, **366**
Failure of mebendazole to cure vaginitis resistant to metronidazole, **274**
Infection in a lesbian, **399**
Survival in human semen, **106**
Vaginitis refractory to treatment, **200**, **349**
*TRICHOSPORON BEIGELII*
And white piedra: incidence in patients attending a GUM clinic, **331**
TUBERCULOUS CAVERNOSITIS
Of the penis: case report, **58**
TURJANMAA K, RENUNALA T: Allergic reactions to rubber condoms (MA), **402**
TZANAKAKI G, MAVROMMATI L, TZELEPI E, *et al*: Serological classification in relation to auxotypes, plasmid contents, and susceptibilities to antimicrobials of PPNG and non-PPNG strains isolated in Greece, **171**
TZELEPI E. *See* TZANAKAKI G, **171**

URETHRA
Characteristics of inflammatory cells in smears from men with NGU, **18**

URETHRITIS *See also* NON-GONOCOCCAL URETHRITIS
Acute, due to *N meningitidis* group A, acquired by orogenital contact: case reports, **122**, **285**, (MA) **401**
Detecting *C trachomatis* in men: serology *v* isolation in cell culture, **166**
Gonococcal: effect of penicillin and spectinomycin and prevalence of penicillin resistance, **342**
Severity in Reiter's disease, **198**
URINARY TRACT INFECTIONS
Recurrently sexually transmitted, case report, **397**
Symptomatic: characterisation of *E coli* adhesins, **183**

VAGINA
Composition of discharge associated with *G vaginalis*, **109**
VAGINITIS
Trichomonal, metronidazole resistant: failure of mebendazole, **274**
Trichomonal: refractory to conventional treatment, **200**, **349**
VAGINOSIS, BACTERIAL
*G vaginalis* as an aetiological agent, **285**
Prevalence in outpatients, association with some microorganisms and laboratory indices, **382**
Should male consorts be treated?, **263**
van den HOEK JAR, van HAASTRECHT HJA, SCHEERINGA-TROOST B, *et al*: HIV infection and STD in drug addicted prostitutes in Amsterdam: potential for heterosexual HIV transmission, **146**
van der SLUIS JJ. *See* IJSSELMUIDEN OE, **79**
van HAASTRECHT HJA. *See* van den HOEK JAR, **146**
VASANTHI R. *See* RAMESH V, **58**
VÉNEREOLOGISTS
1. Albert Neisser, **229**
2. Benjamin Bell, **323**
3. Philippe Ricord, **388**
von EYBEN FE. *See* MARCKMANN P, **126**
von KROGH G. *See* SYRJÄNEN SM, **216**
VONESCH N. *See* PEZZELLA M, **293**
VULVA
Lymphangiectasia: case reports, **335**
Recognising covert disease in women with chronic symptoms attending an STD clinic, **46**
Verruciform xanthoma: case report, **252**
Warts: risk factors for development of cervical intraepithelial neoplasia, **197**

WADE AAH. *See* WALZMAN M, **187**
WADEHRA V. *See* SHANMUGARATNAM K, **402**
WALKER MM. *See* BYRNE MA, **46**
WALZMAN M: Labial adhesions after genital herpes infection, **187**
——: White piedra and *Trichosporon beigelii*: the incidence in patients attending a clinic in genitourinary medicine, **331**
WARTS *See* CONDYLOMATA ACUMINATA
WAUGH MA: MSSVD: honorary secretary's report to the 67th Annual General Meeting, 1988, **128**
WELLER IVD. *See* GELMON K, **143**
WHATLEY JD. *See* THIN RN, **157**
WHITE PIEDRA
And *T beigelii*: incidence in patients attending a GUM clinic, **331**
WILLIAMS C. *See* O'MAHONY C, **196**
WILLIAMS P. *See* SONNEX C, **248**
WILSON APR, WOLFF J, ATIA W: Acute urethritis due to *Neisseria meningitidis* group A acquired by orogenital contact: case report, **122**
WILSON JD. *See* ROBINSON AJ, **201**
WOLFF J. *See* WILSON APR, **122**
WOODFORD N, BINDAYNA KM, EASMON CSF, *et al*: Associations between serotype and susceptibility to antibiotics of *Neisseria gonorrhoeae*, **86**
WOOLLEY PD: Cervical cytological examination of adolescent girls (*corr*), **132**
WORM A-M, HOFF G, KROON S, *et al*: Roxithromycin compared with erythromycin against genitourinary chlamydial infections, **35**
WYATT DE, MAW RD: New enzyme immunoassay (Pharmacia) compared with Microtrak (Syva) to detect *Chlamydia trachomatis* in genital tract specimens (*corr*), **199**

XANTHOMA, VERRUCIFORM
Of the vulva: case report, **252**

YAWS
Early, imported in the Netherlands, **316**
*YERSINIA PSEUDOTUBERCULOSIS*
Infection causing reactive arthritis as seen in a GUM clinic: case report, **255**
YOUNG H, MOYES A: Utility of monoclonal antibody coagglutination to identify *Neisseria gonorrhoeae*, **8**
YOUNG H, MOYES A, MCMILLAN A, *et al*: Screening for treponemal infection by a new enzyme immunoassay, **72**